

Too old for syrup,
too young for pills?

Children's ZYRTEC® Chewables are just right



Use products only as directed.


**Powerful allergy relief in
a great-tasting chewable**

For kids who have outgrown liquid medicine but aren't quite ready to swallow a pill, Children's ZYRTEC® Chewables are a great fit.

- Relief for your child's worst allergy symptoms, indoors and out
- For sneezing; runny nose; itchy, watery eyes; and itching of the nose or throat
- One dose lasts a full 24 hours
- Available in 2.5 mg dose for children 2 years & over and 10 mg dose for children 6 years & over



Children's ZYRTEC® flavors are backed by our Taste Guarantee!
Scan to learn more or visit ZyrtecProfessional.com





Children's ZYRTEC® Products

Consistent, powerful relief in once-daily dosing



Use products only as directed.

AGE	CHILDREN'S ZYRTEC® ALLERGY SYRUP	CHILDREN'S ZYRTEC® DISSOLVE TABS	CHILDREN'S ZYRTEC® CHEWABLES 10 MG	CHILDREN'S ZYRTEC® CHEWABLES 2.5 MG
Adults and children 6 years and older	5 mL or 10 mL once daily depending upon severity of symptoms; do not take more than 10 mL in 24 hours.	One 10 mg tablet once daily; do not take more than one 10 mg tablet in 24 hours. A 5 mg product may be appropriate for less severe symptoms.	Chew and swallow 1 tablet (10 mg) once daily; do not take more than 1 tablet (10 mg) in 24 hours. A 5 mg product may be appropriate for less severe symptoms.	Chew and swallow 2 tablets (5 mg) or 4 tablets (10 mg) once daily depending upon severity of symptoms; do not take more than 4 tablets (10 mg) in 24 hours.
Adults 65 years and over	5 mL once daily; do not take more than 5 mL in 24 hours.	Ask a doctor	Ask a doctor	Chew and swallow 2 tablets (5 mg) once daily; do not take more than 2 tablets (5 mg) in 24 hours.
Children 2 to under 6 years of age	2.5 mL once daily; if needed, dose can be increased to a maximum of 5 mL once daily or 2.5 mL every 12 hours. Do not give more than 5 mL in 24 hours.	Ask a doctor	Ask a doctor	Chew and swallow 1 tablet (2.5 mg) once daily; if needed, dose can be increased to a maximum of 2 tablets (5 mg) once daily or 1 tablet (2.5 mg) every 12 hours. Do not give more than 2 tablets (5 mg) in 24 hours.
Children under 2 years of age	Ask a doctor	Ask a doctor	Ask a doctor	Ask a doctor
Consumers with liver or kidney disease	Ask a doctor	Ask a doctor	Ask a doctor	Ask a doctor

mL = milliliter

Consult ZYRTEC® product packaging for full dosing directions.

*Among OTC oral antihistamines.